



Superfund – CERCLA

Comprehensive Environmental Response Compensation and Liability Act

- enacted by congress in 1980





Portland
Harbor
Superfund
Site

Study Area

Portland Harbor EPA Team

- Oregon Department of Environmental Quality
 - Lead agency for upland source control efforts
 - Support agency for in-water RI/FS
- Natural Resource Trustees
 - Indian Tribes Nez Perce, Umatilla, Warm Springs,
 Yakama, Siletz, Grand Ronde
 - Department of the Interior/Fish and Wildlife Service
 - National Oceanic Atmospheric Administration (NOAA)
 - Oregon Department of Fish and Wildlife





















Background

- Long history of industrial use and changes to river system
- Supports industrial and recreational uses
- Federal navigation channel
- River provides habitat and serves as a migratory corridor for ESA listed species
- Numerous contaminants, sources and source types
- Lower Willamette Group (LWG) is conducting RI/FS;
 large number of PRPs and government partners
- Natural Resource Trustees NRDA underway

Portland Harbor Superfund Milestones



We are here

2000---> 2010

2012

2013

2014

2000-11

•Superfund Listing, Research, Sampling, Analysis, Early Actions, Uplands Cleanup Remedial
Investigatio
n (RI) and
Risk

Assessment

What and where are the risks?

Draft Feasibility Study (FS)

/What are the cleanup options? EPA's
Proposed
Clean-up
Plan

EPA's Record of Decision (ROD)

EPA's Final Decision

- •Public presentations on Draft RI/FS
 - •EPA comments & revisions to RI/FS

- •Formal Public Comment
 - •State Concurrence

Harbor Cleanup

Summer 2004 Fall 2004 Fall /Winter 05 1997 - 2001 2002/2003 **Approved Work Round 1 Site** Step 1 Hydro **Begin Round 1** Plan and Field Pre-RI/FS Characterization Model **Work Plan Sampling Plan** Report Report **ROUND 1** •Site **ROUND 2A ROUND 2A ROUND 2A** Investigation **SAMPLING: SAMPLING: SAMPLING: SAMPLING:** NPL Listing ·Fish Tissue Surface Surface Water High Flow •AOC Sediment Subsurface Groundwater pilot **Surface Water** ·MOU Bathymetry Bioassays Fall 2007 Fall 06/Spring07 Fall 2005 Summer 2005 **Food Web Round 2A Round 2 Report RI Data Gaps Model Report Data Report ROUND 2B ROUND 3B ROUND 3A ROUND 2B** SAMPLING: SAMPLING: **SAMPLING: SAMPLING:** Sediment Biota Tissue Lamprey, sturgeon Benthic (clams) Cores ·N&E Up & downstream Groundwater Subvearling Risk (bioassays) Surface Water Chinook Port T4 2008/2009 Fall 2009 2010 2011/2012 **RIRA Review** FS Scoping & Revised RI Sampling FS scoping **Draft RI and** and RA • PRGs **Baseline** Reports Side scan sonar F&T Model Risk ·Leachate testing CDF performance **Draft FS Assessment** Sediment Traps Benthic Approach Report BP Portland Harbor Remedial Investigation and Feasibility Study

Early Actions

GASCO – Before





GASCO – After






Terminal 4 – After





Remedial Investigation

- Site is well characterized nature and extent of contamination, physical system
- Data demonstrates relationship between sediment, surface water, tissue and upland sources
- Contamination generally higher near shore compared to navigation channel
- Contamination generally higher at depth

Examples of Contaminant Distribution









Total PCBs Total DDx


Total PAHs

Total PCBs in Smallmouth Bass





Steps in Risk Assessment Process



How do we get there?

Risk = Concentration * (IR * EF * ED) * TF

BW*AT

Risk Characterization Data Assessment

Exposure Assessment

Toxicity Assessment

Human Health Exposure Scenarios for Evaluation

	Ingestion and Dermal Adsorption	In-water Sediment Ingestion and Dermal Adsorption	Surface Water Ingestion and Dermal Adsorption	Groundwater Seeps Ingestion and Dermal Adsorption	Fish/ Shellfish Ingestion	Infant Consumption of Human Milk
Workers						
Transients	•					
Beach Users	•					
Fishers	•					
Divers						
Domestic Users			•			

Human Health Risk Assessment

- •19 risk driver contaminants; many are colocated
- •PCBs and Dioxin most widespread, PAHs and DDX high localized risk
- •Fish consumption highest risk
- Children and infants

Ecological Risk Assessment

- Many Lines of Evidence on ecological risks, including:
 - Dietary ingestion of contaminants by birds,
 mammals and fish
 - Direct measurement of sediment toxicity
 - Bioaccumulation of contaminants into tissues of bird eggs, fish, and benthic invertebrates
- Risks to 20 species (e.g. mink) or groups (e.g. aquatic plants) selected as representative and evaluated

What Chemicals Pose the Greatest Ecological Risks at Portland Harbor?

- PCBs pose risks to the largest number of ecological receptors
- PAHs pose risks across large proportion of the site
- DDx among chemicals most associated with toxicity in benthic invertebrates

Risk Management

- Considers uncertainties in risk assessments and models
- EPA will be reviewing how LWG risk management assumptions have been used in the draft FS
- Risks will be reduced through variety of options – dredging, capping, treatment, natural recovery, and enhanced natural recovery

End of Pre-FS presentation Slides

Community Involvement

- Three more information sessions scheduled
- Portland Harbor Community Advisory Group monthly meetings
- Regular e-mail updates to over 1000 people with information about the investigation and cleanup
- Project team presentations to a wide variety of stakeholders and audiences.

Selection of the Remedy


- Assessment of alternative approaches for cleanup based on nine criteria
- Risk management decision on most appropriate solution
- Proposed Plan based on RI/FS and Administrative Record for review/comment
- Review public comment, consult with State, select remedy

FS to ROD

- EPA review of Draft Feasibility Study 2012
 - Public outreach
 - Adequate basis for remedy selection
 - Comment/Revisions/Final FS
- Proposed Plan development
 - National Remedy Review Board/CSTAG review
 - Tribal consultation
- Proposed Plan public comment 2013
- Record Of Decision (2014?)

After the Record of Decision

2013 and beyond



Continuing Upland Source Control and Monitoring